



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague
Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán / Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body. Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 090-029021

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Structural bearings

variant : Elastomeric bearings

type: B,C,E

placed on the market under the name or trade mark of

KPRM – Produkcja Z.o.o.

INo: REGON 060702600, KRS 0000370736

address: ul. Chopina 96, 43-600 Jaworzno, PL - Poland

and produced in the manufacturing plants:

GUMITEX ZPU SC

INo: PL6292053689

address: ul. Gospodarcza 25, 42-520 Dąbrowa Górnicza, PL - Poland

and

Terex s.c.

INo: 6291463126

address: ul. Kasprzaka 17, Dąbrowa Górnicza, PL - Poland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1337-3:2005

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the


constancy of performance of the construction product.

This certificate was first issued on 1 February 2013 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague 9th June 2016




Ing. Jozef Pôbiš
Manager of the Notified Body